

Dixon Sand Quarry Hearses Rd and intersection of Wisemans Ferry Rd
Maroota NSW 2756

TEOM PM10 Monitoring Data
EPL 12513 Point 1

Sampling Frequency Monthly summary
Date Sampled Continuous (15min)

Results Obtained 29/01/2015
Results Published 6/02/2015

Point 1 Dec-14	24 Hour PM ₁₀ (ug/m ³)	Annual PM ₁₀ Average (ug/m ³)	Annual PM ₁₀ Average Criteria	24 hour PM ₁₀ NEPM Criteria	24 hour PM ₁₀ EPL Trigger Value	Requirement Met	Notes
1/12/2014	12.7	14.1	30	50	42	Yes	
2/12/2014	11.3	14.1	30	50	42	Yes	
3/12/2014	14.1	14.1	30	50	42	Yes	
4/12/2014	11.4	14.0	30	50	42	Yes	
5/12/2014	9.7	14.0	30	50	42	Yes	
6/12/2014	9.4	14.0	30	50	42	Yes	
7/12/2014	8.6	13.9	30	50	42	Yes	
8/12/2014	10.1	13.9	30	50	42	Yes	
9/12/2014	18.1	14.0	30	50	42	Yes	
10/12/2014	13.8	13.9	30	50	42	Yes	
11/12/2014	7.6	13.9	30	50	42	Yes	
12/12/2014	13.9	13.9	30	50	42	Yes	
13/12/2014	13.0	13.9	30	50	42	Yes	
14/12/2014	12.6	13.9	30	50	42	Yes	
15/12/2014	16.0	13.9	30	50	42	Yes	
16/12/2014	21.0	14.0	30	50	42	Yes	
17/12/2014	34.6	14.1	30	50	42	Yes	
18/12/2014	31.5	14.2	30	50	42	Yes	
19/12/2014	20.8	14.2	30	50	42	Yes	
20/12/2014	18.4	14.2	30	50	42	Yes	
21/12/2014	15.9	14.2	30	50	42	Yes	
22/12/2014	16.6	14.3	30	50	42	Yes	
23/12/2014	11.9	14.2	30	50	42	Yes	
24/12/2014	14.3	14.2	30	50	42	Yes	
25/12/2014	12.9	14.2	30	50	42	Yes	
26/12/2014	11.9	14.2	30	50	42	Yes	
27/12/2014	20.7	14.3	30	50	42	Yes	
28/12/2014	11.0	14.2	30	50	42	Yes	
29/12/2014	7.2	14.2	30	50	42	Yes	
30/12/2014	21.0	14.2	30	50	42	Yes	
31/12/2014	30.6	14.3	30	50	42	Yes	

Dixon Sand Quarry Hearses Rd and intersection of Wisemans Ferry Rd
Maroota NSW 2756

Static Dust
EPL 12513

Sampling Frequency Monthly
Date Sampled 18/12/2014

Results Obtained 12/01/2015
Results Published 22/01/2015

Dec-14	Deposited Dust mg/m2/mth	Annual Average (Jul14-Jun15) mg/m2	Annual Average Limit mg/m2	Requirement Met	Notes
Point 3	1.0	0.67	4.0	Yes	